



2023/2024 Products Profile




► Profile

Dongguan City TERMA Electronics Co., Ltd is a high-tech enterprise specializing in the research and development, design, production, sales and service of precision measuring tools. The company fully implements the ISO9001:2015 management system, national standard, DIN quality standards, and other international standards, has strong guarantee in product development, production process, production management, quality assurance and after-sales service, etc.

The company has always adhered to the quality policy of improving service, ensuring quality and satisfying customers. With advanced technology, excellent products, stable quality and comprehensive service as its aim. Besides domestic sales, the products are also exported to Europe, America, Southeast Asia and other countries and regions.

We make unremitting efforts to realize the goal of standardized management and stable product quality, and we look forward to your cooperation and support!



Spindle Thread Grinding



Caliper Mechanism Grinding



Hi-Speed CNC



High Precision Grinding Machine



IC Bonding



Micro Indicator Inspection

Ability:

- 1.40000 set per month for caliper;
- 2.30000 set per month for micrometer;
- 3.10000 set for digital indicator and digital micro indicator;
- 4.20000 set per month for other measuring tools(digital protractor、digital compass、digital level and so on)
- 5.IC design and bonding

► Contents

SPC (Data Transmission)	* * * * *	1-1
Caliper	* * * * *	2-5
Height Gage	* * * * *	6-6
Indicator & Micro Indicator	* * * * *	6-7
Three Point Internal Micrometer	* * * * *	7-8
Micrometer	* * * * *	8-11
Digital Thickness Gage	* * * * *	11-11
Digital Protractor	* * * * *	12-12
Digital Level	* * * * *	12-12
Others	* * * * *	12-12

► Test Report



Rohs Report



CE Report



Reach Report



IP67 Report




IP65 Testing




IP67 Testing

► SPC (Data Transmission)



Wireless Data Transmission Device with 8 channels



External Bluetooth Transmission Device



Wire Data Output Device



► Caliper



CDE210/CDE210W-0.01
0-150mm/0-200mm/0-300mm


TOL

IP67 Water-Proof Color Screen Digital Caliper
with Inductive Measuring System


First LED color screen in the world.
6 kinds of resolution display.
Backlight display with three kinds of
brightness and six kinds of power off time.
Tolerance reminder.
Magnetic charging.
Built-in bluetooth.




CDE110/CDE110W-0.01
CDE110M/CDE110MW-0.001
0-150mm/0-200mm/0-300mm



CDE200/CDE200W-0.01
CDE200M/CDE200MW-0.001
0-150mm/0-200mm/0-300mm




CDE185-0.01
0-150mm/0-200mm/0-300mm



CDE100-0.01
0-150mm/0-200mm/0-300mm



CDA100-0.005
0-150mm/0-200mm/0-300mm




CD185-0.01
0-150mm/0-200mm/0-300mm




CD730-0.005
0-150mm/0-200mm/0-300mm



CD510-0.01
0-150mm/0-200mm/0-300mm



CD710-0.01
0-150mm/0-200mm/0-300mm



CB210-0.02
0-150mm/0-200mm/0-300mm

► Caliper

Vernier Caliper



CA210-0.02
0-150mm/0-200mm/0-300mm

IP67 Water-Proof Digital Depth Caliper
with double Hook



SDE110/SDE110W-A-0.01
0-150mm/0-200mm/0-300mm

IP67 Water-Proof Digital Depth Caliper
with single Hook



SDE110/SDE110W-B-0.01
0-150mm/0-200mm/0-300mm

IP67 Water-Proof Digital Depth Caliper
with Flat Head




SDE110/SDE110W-C-0.01
0-150mm/0-200mm/0-300mm

IP67 Water-Proof Digital Depth Caliper
with Replaceable Probe




SDE110/SDE110W-D-0.01
0-150mm/0-200mm/0-300mm

Quick Display Digital Depth Caliper
with double Hook



SD710-A-0.01
0-150mm/0-200mm/0-300mm

Quick Display Digital Depth Caliper
with single Hook




SD710-B-0.01
0-150mm/0-200mm/0-300mm

Quick Display Digital Depth Caliper
with Flat Head



SD710-C-0.01
0-150mm/0-200mm/0-300mm

Quick Display Digital Depth Caliper
with Replaceable Probe



SD710-D-0.01
0-150mm/0-200mm/0-300mm

IP67 Water-Proof Digital Caliper with Thick Pipe Wall



YDE200A/YDA200WA-0.01
0-150mm/0-200mm/0-300mm

IP67 Water-Proof Digital Caliper with
Flat Head External Groove



YDE200B/YDE200WB-0.01
0-150mm/0-200mm/0-300mm

► Caliper

IP67 Water-Proof Digital Caliper with
Flat Head Cutter Groove



YDE200C/YDE200WC-0.01
0-150mm/0-200mm/0-300mm

IP67 Water-Proof Digital Caliper with
Flat Head Internal Groove



YDE200D/YDE200WD-0.01
0-150mm/0-200mm/0-300mm

IP67 Water-Proof Digital Caliper with Replaceable Probe
and Internal & External Groove(with Top Claw)



YDE200E/YDE200WE-0.01
0-150mm/0-200mm/0-300mm

IP67 Water-Proof Digital Caliper with Replaceable Probe
and Internal & External Groove(without Top Claw)



YDE200F/YDE200WF-0.01
0-150mm/0-200mm/0-300mm

IP67 Water-Proof Digital Caliper
with Thin Sharp Claw



YDE200G/YDE200WG-0.01
0-150mm/0-200mm/0-300mm

IP67 Water-Proof Digital Caliper
with Center distance



YDE200H/YDE200WH-0.01
0-150mm/0-200mm/0-300mm

IP65 Water-Proof Digital Caliper
with Thick Pipe Wall



YDA100A-0.01
0-150mm/0-200mm/0-300mm

IP65 Water-Proof Digital Caliper
with Flat Head External Groove



YDA100B-0.01
0-150mm/0-200mm/0-300mm

IP65 Water-Proof Digital Caliper
with Flat Head Cutter Groove



YDA100C-0.01
0-150mm/0-200mm/0-300mm

IP65 Water-Proof Digital Caliper
with Flat Head Internal Groove



YDA100D-0.01
0-150mm/0-200mm/0-300mm

IP65 Water-Proof Digital Caliper with Replaceable Probe
and Internal & External Groove(with Top Claw)



YDA100E-0.01
0-150mm/0-200mm/0-300mm

IP65 Water-Proof Digital Caliper with Replaceable Probe
and Internal & External Groove(without Top Claw)



YDA100F-0.01
0-150mm/0-200mm/0-300mm

► Caliper

IP65 Water-Proof Digital Caliper with Thin Sharp Claw



iP65

YDA100G-0.01
0-150mm/0-200mm/0-300mm


IP65 Water-Proof Digital Caliper with Center distance



iP65

YDA100H-0.01
0-150mm/0-200mm/0-300mm

Heavy Duty Mono-Block Vernier Caliper



CA920/CA930-0.02
0-500mm/
0-600mm/0-1000mm

CA910A-0.02
0-300mm



iP65


High Strength! Super Light! 3 M Long!

IP65 Water-Proof Carbon Fiber Digital Caliper with Inductive Measuring System

CDE932/CDE932W-0.01
0-600mm/0-1000mm/
0-1500mm/0-2000mm/
0-2500mm/0-3000mm

Claw length:
138mm/150mm/200mm/300mm

IP65 Water-Proof Heavy Duty Digital Caliper with Inductive Measuring System



iP65

CDE910A-0.01
CDE920A/CDE920AW-0.01
CDE930A/CDE930AW-0.01
0-300mm/0-500mm/0-1000mm



iP65

CDE910B-0.01
CDE920B/CDE920BW-0.01
CDE930B/CDE930BW-0.01
0-300mm/0-500mm/0-1000mm

► Height Gage



IP65 Water-Proof
Digital Height Gage
with Inductive
Measuring System



HDE650/HDE650W-0.01
HDE650M/HDE650MW-0.001
0-300mm/0-600mm



Double Column
Digital Height Gage

HD220/HD220W-0.01
HD220M/HD220MW-0.001
0-300mm/0-600mm



Digital Height Gage
with Absolute
Capacitive System

HDA620-0.01
0-150mm/
0-200mm/
0-300mm

► Indicator



IP65 Water-Proof Digital Indicator
with Inductive Measuring System

IDE111M/IDE111MW-0.001
IDE111N/IDE111NW-0.01
0-12.7mm/0-25.4mm/
0-50.8mm/0-101.6mm



Digital Micro Indicator
with Absolute Capacitive System

IDA910/IDA910W-0.001
IDA910N/IDA910NW-0.01
0-12.7mm/0-25.4mm/
0-50.8mm



IP65 Water-Proof Digital Lever Indicator
with Inductive Measuring System

IDE120M/IDE120MW-0.001
0-0.2mm
IDE120/IDE120W-0.001
0-0.8mm



Digital Indicator

ID220-0.01
0-12.7mm/0-25.4mm



Dial Indicator

IB210M-0.001
0-1mm
IB210N-0.01
0-10mm



Dial Lever Indicator

IB220M-0.002
0-0.2mm
IB220N-0.01
0-0.8mm

Absolute Linear Probe

IDA950LM-0.001
0-12.7mm/0-25.4mm/
0-50.8mm/0-101.6mm



IP65 Water-Proof Linear Probe with Inductive Measuring System


IDE100-0.001
0-12.7mm/0-25.4mm



ZDA250-T



Digital Indicator for Outside or Inside Radius Measurement



RDE111-0.001
0-1000mm/0-3000mm

Digital Micro Indicator with Absolute Capacitive System

IDA920N-0.01
0-12.7mm



Depth Measuring Base

SD710
64mm/101.6mm/
127mm/200mm



► Three Point Internal Micrometer

Gun-Type Digital Three Point Internal Micrometer



MDA750H/MDA750HW-0.001
6-8mm/8-10mm/10-12mm/
12-16mm/16-20mm/20-25mm/
25-30mm/30-40mm/40-50mm/
50-63mm/62-75mm/75-88mm/
87-100mm/100-125mm/125-150mm/
150-175mm/175-200mm/200-225mm/
225-250mm/250-275mm/275-300mm/
300-325mm/325-350mm



Grip-Type Digital Three Point Internal Micrometer



MDA760H/MDA760HW-0.001
6-8mm/8-10mm/10-12mm/
12-16mm/16-20mm/20-25mm/
25-30mm/30-40mm/40-50mm/
50-63mm/62-75mm/75-88mm/
87-100mm/



Digital Three Point Internal Micrometer




MD732H/MD732HW-0.001
6-8mm/8-10mm/10-12mm/
12-16mm/16-20mm/20-25mm/
25-30mm/30-40mm/40-50mm/
50-63mm/62-75mm/75-88mm/
87-100mm/100-125mm/125-150mm/
150-175mm/175-200mm/200-225mm/
225-250mm/250-275mm/275-300mm/
300-325mm/325-350mm

Digital Three Point Internal Micrometer



MD730H/MD730HW-0.001
6-8mm/8-10mm/10-12mm/
12-16mm/16-20mm/20-25mm/
25-30mm/30-40mm/40-50mm/
50-63mm/62-75mm/75-88mm/
87-100mm/100-125mm/125-150mm/
150-175mm/175-200mm/200-225mm/
225-250mm/250-275mm/275-300mm/
300-325mm/325-350mm

Three Point Internal Micrometer



MA250H-0.001
6-8mm/8-10mm/10-12mm/
12-16mm/16-20mm/20-25mm/
25-30mm/30-40mm/40-50mm/
50-63mm/62-75mm/75-88mm/
87-100mm/100-125mm/125-150mm/
150-175mm/175-200mm/200-225mm/
225-250mm/250-275mm/275-300mm/
300-325mm/325-350mm

Digital Bore Gage set with Absolute Capacitive System



BGA910M/BGA910MW-0.001
18-35mm/35-50mm/50-160mm/
160-250mm/250-450mm

► Micrometer



Digital micrometer



MD310-0.001
0-25mm/25-50mm/
50-75mm/75-100mm/
100-125mm/125-150mm



Digital micrometer with absolute origin lever



MDA910/MDA910W-0.001
0-25mm/25-50mm/
50-75mm/75-100mm



Digital micrometer







MD730/MD730W-0.001
0-25mm/25-50mm/
50-75mm/75-100mm/
100-125mm/125-150mm/
150-175mm/175-200mm/200-225mm/
225-250mm/250-275mm/275-300mm

Digital micrometer



MD710-0.001
0-25mm/25-50mm/50-75mm/
75-100mm/100-125mm/125-150mm

► Micrometer



► Micrometer

Spline Micrometer



MA210-C-0.01
0-25mm/25-50mm/50-75mm

Double Point Micrometer



MA210-D-0.01
0-25mm/25-50mm/50-75mm

Blade Micrometer



MA210-E-0.01
0-25mm/25-50mm/50-75mm

Disc Micrometer



MA210-F-0.01
0-25mm/25-50mm/50-75mm

Digital Micrometer Head



MD320H-0.001
0-25mm/0-50mm

Digital Micrometer Head



MD710H-0.001
0-25mm/0-50mm

iP65



MDA910-B/
MDA910W-B-0.001
0-25mm/25-50mm/
50-75mm

Direct Blade Digital Micrometer

iP65



MDA910-C/
MDA910W-C-0.001
0-25mm/25-50mm/
50-75mm

Direct Spline Digital Micrometer

iP65




MDA910-D/
MDA910W-D-0.001
0-25mm/25-50mm/
50-75mm

Direct Disc Digital Micrometer

Digital Depth Micrometer

MD730DD/MD730DDW-0.001
0-150mm



Depth Micrometer

MA230-0.001
0-150mm

Flat DMicrometer Head



MA310-0.01
0-6.5mm/0-13mm/
0-25mm/0-50mm

Flat Micrometer Head with Fix Nut



MA310C-0.01
0-6.5mm/0-13mm/
0-25mm/0-50mm

Spherical Micrometer



MA310-0.01
0-6.5mm/0-13mm/
0-25mm/0-50mm

Spherical Micrometer Head with Fix Nut



MA310C-0.01
0-6.5mm/0-13mm/
0-25mm/0-50mm

► Thickness Gage

IP65 Water-Proof
Digital External Thickness Gage
with Inductive Measuring System



TDE130A/TDE130AW-0.001
0-10mm/0-20mm/0-30mm/0-50mm/0-100mm

IP65 Water-Proof
Digital Internal Thickness Gage
with Inductive Measuring System



TDE130B/TDE130BW-0.001
5-15mm/10-30mm/30-50mm/
50-100mm/100-150mm/150-200mm

IP65 Water-Proof Digital External Thickness Gage
with Inductive Measuring System



TDE111A-0.001
TDE111AW-0.001
0-20mm/
20-40mm/
40-60mm/
60-80mm/80-100mm

IP65 Water-Proof Digital Internal Thickness Gage
with Inductive Measuring System



TDE111B-0.001
TDE111BW-0.001
15-35mm/
35-55mm/
55-75mm/
75-95mm/
95-115mm/115-135mm



TD270-0.01
0-25mm

Digital Thickness Gage



TD230A-0.01
0-25mm

Digital Thickness Gage



TD230D-0.01
0-25mm

Digital Thickness Gage



Digital External Thickness Gage

TD230E-0.1
0-150mm



Digital Internal Thickness Gage

TD230F-0.1
12.7-165mm

► Protractor



Digital Protractor
PD270D-0.05°
150mm/200mm/300mm
600mm/800mm/1000mm



Digital Protractor
PD290-0.05°
200mm/300mm



Multifunctional
Digital Protractor

PD211-0.05°
0-360°&0-300mm

► Digital Level



LD250-0.05°
Digital Level



LD280/LD280W-0.05°
Digital Level with Charging Function

Digital Level with Laser



LD260-0.05°
150mm/200mm/600mm



LD290/LD290W-0.05°
Digital Level with Charging Function

► Others



DS220A-0.5HA/
DS220D-0.5HD
Durometer (Rubber/metal)



DT110
Wheeled Rangefinder



Digital display Z-axis tool
setting instrument



TGE280-0.001

www.termatools.com

ADD: No. 25, Dongke Road, Dongcheng District,
Dongguan City, Guangdong Province, China
TEL: 86 769 85382030 85382230
FAX: 86 769 85382070

